

Joint Photographic Expert Group compression. See
JPEG compression
RIS8. See 8-bit raster image data set
Run-length encoding compression. See RLE
compression

Symbols

"Native format" option 20
"Simple" scientific data set
description 26

Numerics

24-bit raster image 181–194
compressing , data 188
data representation 181
determining the dimensions of a 190
modifying the interlace mode of a 190
querying the reference number of the most-
recently-accessed 193
querying the total number of , in a file 193
reading 190–193
reading a , with a given reference number 192
routines for obtaining information about 193
setting the interlace mode for a 186
specifying that the next , read to be the first 193
writing 184–??
24-bit Raster Image API
description 3
24-bit raster image API 184
routine categories 184
routine list 184
24-bit raster image data set
compression methods 182
contents of a 181
description 181
interlace modes 183
optional objects 182–184
required objects 181–182
24-bit raster image data set dimension
description 182
8-bit raster image
compressing 172
data representation 165, 166
description 165
determining the reference number of the most-

recently-accessed 179
determining the reference number of the palette of
the most-recently-accessed 179
querying the dimensions of a 176
querying the total number of , in a file 179
reading 176–179
reading a , with a given reference number 178
routines for obtaining information about 179
specifying the next , to be read 179
specifying the reference number for a 175
writing 168–176
8-bit Raster Image API
description 3
8-bit raster image API 168
routine categories 168
routine list 168
8-bit raster image data set 165–179
compression methods 167
description 165
optional objects 166–168
required objects 165–166
8-bit raster image data set data model 165–168
8-bit raster image data set dimension
description 166
8-bit raster image data set palette
description 166

A

AN API. See multifile annotation API
ANannlen
description 265
parameter list 265
ANannlist
description 267
parameter list 267
ANatype2tag
description 270
parameter list 270
ANcreate
description 260
parameter list 261
ANcreatef
description 260
parameter list 261
ANend

- description 260
- parameter list 261
- ANendaccess
 - description 260
 - parameter list 261
- ANfileinfo
 - description 264
 - parameter list 265
- ANget_tagref
 - description 269
 - parameter list 269
- ANid2tagref
 - description 269
 - parameter list 270
- Annotation 241–269
 - creating an , using the multifile annotation API 260
 - creating and writing an , using the multifile annotation API 259–263
 - description 241
 - getting the length of an , using the multifile annotation API 265
 - obtaining a list of , corresponding to given search criteria using the multifile annotation API 267
 - obtaining information about an , using the multifile annotation API 264–269
 - obtaining information about every , in a file using the multifile annotation API 264
 - obtaining the number of , corresponding to given search criteria using the multifile annotation API 267
 - reading , using the single-file annotation API 249–254
 - reading an , using the multifile annotation API 263–264
 - selecting an , using the multifile annotation API 264
 - writing , using the single-file API 244–248
 - writing an , using the multifile annotation API 261
- Annotation API
 - description 4
- Annotation data model
 - description 241
- ANnumann
 - description 267
- parameter list 267
- ANreadann
 - description 264
 - parameter list 264
- ANselect
 - description 264
 - parameter list 264
- ANstart
 - description 260
 - parameter list 261
- ANtag2atype
 - description 270
 - parameter list 271
- ANtagref2id
 - description 270
 - parameter list 270
- ANwriteann
 - description 261
 - parameter list 262
- Array rank 20
- Attribute index
 - description 224
- B**
 - Buffer interlacing
 - description 109
- C**
 - Calibrated data
 - reading 92
 - writing 91
 - Calibration attribute 91–93
 - description 85, 91
 - Color lookup table
 - description 227
 - Command-line utilities 323–345
 - categories of 4
 - description 323
 - list of 323
 - purpose 323
 - COMP_JPEG define
 - description 182
 - COMP_NONE define
 - description 182
 - Composite image tags
 - list of 349

- Compressing an HDF file 341
- Compressing RIS8 images in an HDF file 339
- Connectivity list
 - description 139
- Converting 24-bit raw raster images to RIS8 images 339
- Converting 8-bit raster images to the HDF format 337
- Converting an HDF RIS24 image to an HDF RIS8 image 340
- Converting floating-point data to an SDS or RIS8 object 334
- Converting raw palette data to the HDF palette format 340
- Converting several RIS8 images to one 3D SDS 336
- Coordinate system attribute
 - description 85, 286
- D**
- D24readref
 - parameter list 192
- Data element
 - description 325
- Data object
 - description 325
- Description annotation
 - description 241
- DF*lastref routine
 - list and descriptions of all 255
 - methods of determining a reference number through the use of a 255
- DF24addimage
 - description 185
 - parameter list 185
- DF24getdims
 - description 190
 - parameter list 191
- DF24getimage
 - description 190
 - parameter list 191
- DF24lastref
 - description 193
 - parameter list 194
- DF24nimages
 - description 193
 - parameter list 193
- DF24putimage
 - description 185
 - parameter list 185
- DF24readref
 - description 192
- DF24requil
 - description 190
 - parameter list 191
- DF24restart
 - description 193
 - parameter list 193
- DF24setcompress
 - description 188
 - parameter list 188
- DF24setil
 - description 186
 - parameter list 188
- DFAN API. See Single-file annotation API
- DFANaddfds
 - description 245
 - parameter list 245
- DFANaddfid
 - description 245
 - parameter list 245
- DFANgetdesc
 - description 252
 - parameter list 252
- DFANgetdesclen
 - description 252
 - parameter list 252
- DFANgetfds
 - description 250
 - parameter list 250
- DFANgetfdslen
 - description 249
 - parameter list 250
- DFANgetfid
 - description 249
 - parameter list 250
- DFANgetfidlen
 - description 249
 - parameter list 250
- DFANgetlabel
 - description 252

- parameter list 252
- DFANgetlablen
 - description 252
 - parameter list 252
- DFANlablist
 - description 256
 - parameter list 254, 256
- DFANputdesc
 - description 246
 - parameter list 247
- DFANputlabel
 - description 246
 - parameter list 247
- DFPaddpal
 - description 235
 - parameter list 235
- DFPgetpal
 - description 236
 - parameter list 237
- DFPlastref
 - description 238
- DFPnpals
 - description 238
 - parameter list 238
- DFPputpal
 - description 235
 - parameter list 235
- DFPreadref
 - description 237
 - parameter list 238
- DFPrestart
 - description 238
- DFPwriteref
 - description 236
 - parameter list 236
- DFR8addimage
 - description 169
 - parameter list 169
- DFR8getdims
 - description 176
 - parameter list 177
- DFR8getimage
 - description 176
 - parameter list 177
- DFR8getpalref
 - description 179
- DFR8lastref
 - description 179
- DFR8nimages
 - description 179
 - parameter list 179, 180
- DFR8putimage
 - description 169
 - parameter list 169
- DFR8readref
 - description 178
 - parameter list 178
- DFR8restart
 - description 179
- DFR8setcompress
 - description 172
 - parameter list 172
- DFR8setpalette
 - description 170
 - parameter list 171
- DFR8writeref
 - description 175
 - parameter list 176
- DFSD scientific data set 273–295
 - assigning string attributes to a 286
 - assigning value attributes to a 287
 - contents of a 273
 - creating a 276
 - description 273
 - determining the number of , in a file 282
 - obtaining reference numbers for a 282
 - optional objects 274
 - preventing the reassignment of , attributes 279
 - reading 280–283
 - reading the attributes of a 290–293
 - reading the dimension attributes of a 294–295
 - reading the value attributes of a 292
 - required objects 273
 - resetting the default interlace settings for a 279
 - specifying the data type of a 276
 - specifying the dimensions and data type of a 280
 - writing 275–279
 - writing several 278
 - writing the dimension attributes of a 293–294

- writing the dimension scale of a 294
- DFSD scientific data set API
 - description 3, 274
 - routine categories 274
 - routine list 275
 - use of file identifiers in the 275
 - use of predefined attributes in the 286–295
 - use of slabs in the 283–286
- DFSD scientific data set dimension
 - writing the string attributes of a 293
- DFSDadddata
 - description 276
 - parameter list 276
- DFSDclear
 - description 279
 - parameter list 279
- DFSDendslab
 - description 283
- DFSDgetcal
 - description 292
 - parameter list 292
- DFSDgetdata
 - description 280
 - parameter list 280
- DFSDgetdatalen
 - description 290
 - parameter list 291
- DFSDgetdatastrs
 - description 290
 - parameter list 291
- DFSDgetdimlen
 - description 294
 - parameter list 295
- DFSDgetdims
 - description 280
 - parameter list 281
- DFSDgetdimscale
 - description 294
 - parameter list 295
- DFSDgetdimstrs
 - description 294
 - parameter list 295
- DFSDgetfillvalue
 - description 292
 - parameter list 292
- DFSDgetNT
 - description 280
 - parameter list 281
- DFSDgetrange
 - description 292
 - parameter list 292
- DFSDlastref
 - description 283
- DFSDndatasets
 - description 282
- DFSDputdata
 - description 276
 - parameter list 276
- DFSDreadref
 - description 282
 - parameter list 283
- DFSDreadslab
 - description 285
 - parameter list 286
- DFSDrestart
 - description 282
- DFSDsetcal
 - description 288
 - parameter list 288
- DFSDsetdatastrs
 - description 286
 - parameter list 287
- DFSDsetdims
 - description 279
 - parameter list 279
- DFSDsetdimscale
 - description 294
 - parameter list 294
- DFSDsetdimstrs
 - description 293
 - parameter list 293
- DFSDsetfillvalue
 - description 288
 - parameter list 288
- DFSDsetlengths
 - description 286, 293
 - parameter list 287, 293
- DFSDsetNT
 - description 277
 - parameter list 278

- DFSDsetrange
 - description 287
 - parameter list 288
- DFSDstartslab
 - description 283
 - parameter list 284
- DFSDwriteref
 - description 278
 - parameter list 278
- DFSDwriteslab
 - description 284
 - parameter list 285
- Dimension attribute 79
- Dimension compatibility mode
 - setting the current 72
- Dimension compatibility mode
 - description 71
 - setting the future 71
- Dimension format attribute
 - description 293
- Dimension label attribute
 - description 293
- Dimension scale
 - description 21
- Dimension unit attribute
 - description 293
- Displaying general information about the contents of an HDF file 342
- Displaying vdata information 341

E

- Editing the contents of an HDF file 325
- Error reporting 297–??
- Error reporting API
 - description 297
 - returning the code of the nth-most-recent error 298
 - returning the description of an error code 299
 - routine list 297
 - writing error stack information to a file 298
 - writing errors to a console window 299
- External data file
 - creating a data set in a 41, 43
 - moving data to a 44
 - reading from a 51
 - specifying the directory search path in a 42

- specifying the location of the next, to be created 42
 - writing to a 41
- Extracting 8-bit raster images and palettes from HDF files 338
- Extracting palette data from an HDF file 340

F

- File annotation
 - comparison with object annotation 242
 - description 241
- File attribute
 - description 79
- File description annotation
 - assigning a , using the single-file annotation API 245
 - reading a , using the single-file annotation API 249
- File interlacing
 - description 109
- File label annotation
 - assigning a , using the single-file annotation API 245
 - reading a 263
 - reading a , using the single-file annotation API 249
- fill mode
 - description 90
- fill value
 - description 89
- Fill value attribute 89–91
 - description 85
- fill value attribute
 - reading a 90
 - writing a 90
- FILL_ATTR define
 - description 222
- Format attribute
 - description 85, 286
- fptohdf 334

G

- General raster image 195–232
 - accessing 199
 - compressing 220
 - creating 200

- creating a , in an external file 220
- getting the index of a 217
- moving , to an external file 221
- obtaining information about a 214
- reading 206
- reading from an external file 207
- setting the I/O mode for external , access 221
- setting the interlace mode for a 201
- setting the interlace mode for a , or image read 207
- terminating access to 199
- writing 203
- General raster image API
 - description 4
 - external file operations using the 220
 - mapping a reference number to an image index using the 232
 - mapping an image identifier to a reference number using the 232
 - object identifier conversion functions in the 231
 - obtaining a palette identifier using the 227
 - obtaining information about the contents of a file using , routines 213
 - obtaining palette information using the 227
 - reading and writing palette data using the 227–231
 - reading palette data using the 228
 - routine list 197
 - writing palette data using the 228
- General raster image array
 - description 196
- General raster image array name
 - description 196
- General raster image attribute 222–227
 - predefined 222
 - querying user-defined 224
 - reading user-defined 224
 - setting user-defined 222
- General raster image attributes
 - description 197
- General raster image data model 195–197
- General raster image data set
 - optional objects 196–197
 - required objects 195–196
- General raster image data set API 197
- programming model 198
- routine categories 197
- General raster image dimension
 - description 196
- General raster image palettes
 - description 196
- General raster image pixel type
 - data type 196
 - description 196
 - number-of-components 196
- General raster image tags
 - list of 349
- Global attribute
 - description 79
- GRattrinfo
 - description 224
 - parameter list 225
- GRcreate
 - description 201
 - parameter list 201
- GRender
 - description 200
 - parameter list 200
- GRenderaccess
 - description 199
 - parameter list 200
- GRfileinfo
 - description 213
 - parameter list 214
- GRfindattr
 - description 224
 - parameter list 225
- GRgetattr
 - description 224
 - parameter list 225
- GRgetiminfo
 - description 214
 - parameter list 214
- GRgetlutid
 - description 227
 - parameter list 229
- GRgetlutinfo
 - description 227
 - parameter list 229
- GRidtoeref

- description 232
- parameter list 232
- GRluttoref
 - description 228
 - parameter list 228
- GRnametoindex
 - description 218
 - parameter list 218
- Group object
 - description 325
- GRreadimage
 - description 206
 - parameter list 207
- GRreadlut
 - description 228
 - parameter list 229
- GRreftoindex
 - description 217, 232
 - parameter list 218, 232
- GRreqimageil
 - description 207
 - parameter list 207
- GRreqlutlul
 - parameter list 207
- GRrequtil
 - description 207
- GRselect
 - description 199
 - parameter list 200
- GRsetaccesstype
 - description 221
 - parameter list 222
- GRsetattrtr
 - description 222
 - parameter list 225
- GRsetcompress
 - description 220
 - parameter list 220
- GRsetexternalfile
 - description 220
 - parameter list 221
- GRstart
 - description 199
 - parameter list 200
- GRwriteimage

- description 203
- parameter list 204
- GRwritelut
 - description 228
 - parameter list 229

H

HDF

- description 1
- purpose 1, 3
- HDF API
 - description 2, 3
- HDF installation
 - use of Pablo instrumentation 354
- HDF installation overview 352–354
 - netCDF installation 353
 - setting up the application programming environment 353
 - Windows NT installation 354
- HDF interface vs. netCDF interface 94–95
- HDF_CHUNK_DEF union
 - definition of 58
- hdf24hdf8 340
- hdfcomp 339
- hdfed 325
 - annotate command 331
 - close command 332
 - delete command 331
 - display command 332
 - dump command 330
 - getr8 command 333
 - help command 328
 - if conditional 334
 - info command 328
 - next command 329
 - open command 328
 - prev command 329
 - put command 333
 - putr8 command 332
 - revert command 333
 - select command 333, 334
 - wait command 334
 - write command 331
- hdfed command set 327

- hdfls 324
- hdfpack 341
- hdftopal 340
- hdftor8 338
- hdp 342
 - command set 342
- dumprig command 344
- dumpsds command 343
- dumpvd command 343
- dumpvg command 343
- list command 342
- HEprint
 - description 298
- HEstring
 - description 299
- HEvalue
 - description 298
- history attribute
 - description 86
- HXsetcreatedir
 - description 42
 - parameter list 43
- HXsetdir
 - description 42
 - parameter list 42
- I**
- Image compression. See IMCOMP compression
- IMCOMP compression
 - description 168
- J**
- JPEG compression
 - description 167, 183
- JPEG compression quality factor
 - description 167
- L**
- Label annotation
 - description 241
- Label attribute
 - description 85, 286
- Listing basic information about an HDF file 324
- Local attribute
 - description 79
- Lone vdata

- description 122
- Lone vgroup
 - description 151
- Low-level interface 2
- LUT. See Color lookup table

M

- MFGR_INTERLACE_LINE define
 - description 201
- MFGR_INTERLACE_PIXEL define
 - description 201
- MFGR_INTERLACE_PLANE define
 - description 201
- mgwcing
 - definition of 204
- mgwring
 - definition of 204
- missing_value attribute
 - description 86
- Multifile annotation API 258–269
 - description of the 258
 - list of tags used in 243
 - programming model for the 259
 - routine categories 258
 - routine list 258
 - type definitions specific to the 259

N

- netCDF 93–95
- netCDF data model
 - HDF support of 93
- netCDF interface vs. HDF interface 94–95
- Not-a-Number 90

O

- Object annotation
 - comparison with file annotation 242
 - description 242
- Object description annotation
 - assigning a , using the single-file annotation API 246
 - reading a , using the single-file annotation API 252
- Object label annotation
 - assigning a , using the single-file annotation API 246

- reading a , using the single-file annotation API 251
- Obsolete tags
 - list of 350
- Old and new dimension implementation 71
- P**
- Palette 233–239
 - adding to a RIS8 object 170
 - backward compatibility issues 239
 - color mapping using a 233
 - description 233
 - obtaining the reference number of the most recently accessed 238
 - querying the number of , in a file 238
 - reading 236–238
 - reading a , with a given reference number 237
 - retrieving the reference number of the specified 228
 - specifying the next palette to be accessed to be the first 238
 - specifying the reference number of a 236
 - writing 234–236
- Palette API
 - description 3, 234
 - routine categories 234
 - routine list 234
- paltohdf 340
- Performance Issues 305–??
- Pixel interlacing
 - description 183
- Pixels
 - description 165
- Predefined attribute 85–93
 - accessing a 86
 - description 21, 85
 - list of , with labels and descriptions 85
 - list of parameters 86
 - naming conventions for 86
- Predefined dimension string attribute
 - types of 293
- Predefined string attribute
 - types of 286

- R**
- r24hdf8 339
- r8tohdf 337
- Range attribute ??–89
 - description 85
 - reading a 89
 - writing a 89
- Range attributes 89
- Reference number
 - checking before assigning an object annotation 254
 - determining 254–258
 - determining the , for the last object accessed 255
 - querying a list of , for a given tag 256
- Reference number, overwriting data for a specified 278
- RGB values
 - description 181
- RIS24. See 24-bit raster image data set
- ristosds 336
- RLE compression
 - description 167
- S**
- Scan-line interlacing
 - description 183
- Scan-plane interlacing
 - description 183
- Scientific data set tags
 - list of 350
- SD scientific data model
 - annotations and the 21
- SD scientific data set 19–95
 - appending data to a 36
 - chunked 57
 - chunked , obtaining information about a 61
 - chunked , reading data from a 60
 - chunked , writing to a 59
 - chunks , setting the maximum number to cache 59
 - compressing data in a 40
 - contents 19, 69, 312, 313, 314, 315, 316, 317
 - creating , with non-standard-length data 56
 - creating a 26
 - data type 20

- default data representation 20
- description 19
- establishing access to a 24
- locating a , by name 54
- locating a , by reference number 54
- making a chunked , from a generic 58
- obtaining information about a 51
- obtaining information about a specific 52
- obtaining information about each , in a file 51
- optional objects 20
- reading from a 45
- required objects 19
- terminating access to a 25
- writing to a 28
- SD scientific data set API
 - compression methods supported 40
 - description 3, 21
 - programming model 23–25
 - routine categories 21–23
 - routine list 22
- SD scientific data set array
 - description 20
- SD scientific data set array name
 - description 20
- SD scientific data set attribute 79
- SD scientific data set dimension
 - description 20
 - naming a 70
 - obtaining information about a 73
 - selecting a 70
- SD scientific data set dimension scales
 - writing 72
- SD scientific data set dimension string attribute 88–89
 - reading a 88
 - writing a 88
- SD scientific data set identifiers 23
- SD scientific data set index
 - description 54
- SD scientific data set string attribute
 - description 87
 - reading a 87
 - writing a 87
- SD scientific data set tag 23
- SDattrinfo
 - description 82
 - parameter list 82
- SDcreate
 - description 26
 - parameter list 27
- SDdiminfo
 - description 73
- SDend
 - description 25
 - parameter list 25
- SDendaccess
 - description 25
 - parameter list 25
- SDexternalfile
 - description 43
- SDfileinfo
 - description 51
 - parameter list 52
- SDfindattr
 - description 82
 - parameter list 82
- SDgetcal
 - description 92
 - parameter list 92
- SDgetChunkInfo
 - description 61
 - parameter list 61
- SDgetdatastrs
 - description 87
 - parameter list 87
- SDgetdimid
 - description 70
- SDgetdimstrs
 - description 88
 - parameter list 88
- SDgetfillvalue
 - description 90
 - parameter list 91
- SDgetinfo
 - description 52
 - parameter list 52
- SDgetrange
 - description 89
 - parameter list 89

- SDnametoindex
 - description 54
 - parameter list 54
- SDreadattr
 - description 82
 - parameter list 82
- SDreadChunk
 - description 60
 - parameter list 60
- SDreaddata
 - description 45
 - parameter list 46
- SDreftoindex
 - description 54
 - parameter list 54
- SDS id
 - see SD scientific data set identifier 23
- SDselect
 - parameter list 25
- SDsetattr
 - description 80
 - parameter list 82
- SDsetcal
 - description 91
 - parameter list 92
- SDsetChunk
 - description 58
 - parameter list 58
- SDsetChunkCache
 - description 59
 - parameter list 59
- SDsetcompress
 - description 40
 - parameter list 41, 58, 59, 60, 61
- SDsetdatastrs
 - description 87
- SDsetdimname
 - description 70
 - parameter list 71
- SDsetdimstrs
 - description 88
 - parameter list 88
- SDsetdimval_bwcomp
 - description 72
 - parameter list 72
- SDsetdimval_comp
 - description 71
 - parameter list 72
- SDsetexternalfile
 - parameter list 44
- SDsetfillmode
 - parameter list 91
- SDsetfillvalue
 - description 90
 - parameter list 91
- SDsetnbitdataset
 - description 56
 - parameter list 57
- SDsetrange
 - description 89
 - parameter list 89
- SDstart
 - description 24
- SDwriteChunk
 - parameter list 60
- SDwritechunk
 - description 60
- SDwritedata
 - description 28
 - parameter list 30
 - writing data to chunked SDSs using 59
- Self-description
 - definition 3
- sfgcfill
 - description of 90
- sfgfill
 - description of 90
- sfrcatt
 - description of 82
- sfrcdata
 - description of 46
- sfrdata
 - description of 46
- sfrnatt
 - description of 82
- sfwcdata
 - description of 30
- sfwdata
 - description of 30
- Single-file Annotation API
 - routine categories 243

Single-file annotation API 242–258

- list of tags used in 243
- programming model for the 244
- routine list 243

Slab

- accessing a , using the single-file scientific data set API 283
- description 29
- reading a , using the single-file scientific data set API 285–286
- writing , using the single-file scientific data set API 284–285

Strides

- description 29
- support of , in the single-file scientific data set API 285

T

- title attribute
 - description 86

U

- Unit attribute
 - description 85, 286
- Unlimited dimension 20
- User_defined attribute
 - allowed data types for a 79
 - writing a 80
- User-contributed command-line utilities 344–345
 - list of 344
- User-defined attribute 79–84
 - count 79
 - description 21, 79
 - index 79
 - naming rules 79
 - querying for a 82
 - reading a 82
- Utility tags
 - list of 348

V

- Vaddtagref
 - description 143
 - parameter list 144
- Vattach

- description 141
- parameter list 142

Vattrinfo

- description 154
- parameter list 154

Vdata 97–??

- attributes of a 125
- creating 107
- creating and writing to multifield 107–118
- creating and writing to single-field 103–107
- description 97
- determining if the given , is an attribute 129
- determining the reference number from a , name 123
- obtaining information about a ??–131, 131–134, ??–158
- querying information on a given , attribute 128
- querying the number of attributes of a 127
- querying the total number of , attributes 126
- querying the values of a given , attribute 128
- reading from a 118–122
- resetting the current position within a 110
- resetting the current record position within a 111
- retrieving the index of a , attribute given the attribute name 127
- searching for 122–125
- searching for a , by field name 123
- searching for lone , 122
- searching for the reference number of a 123
- selecting the set of , to be read 119
- setting the attribute of a , 126
- storing data in multiple , of mixed data types 115
- writing buffers into 112
- writing to a 111
- writing to a multifield 110

Vdata API

- description 4

Vdata class

- assigning to a vdata 108

Vdata data model

- description 97

Vdata field

- defining 108

- description of a predefined 108
- initializing for write access 108
- querying the index of a , given the field name 125
- querying the number of attributes of a 127
- removing alignment bytes when writing to a 115
- setting the attribute of a , 126
- Vdata identifier
 - determining the next 162
- Vdata interlace mode
 - specifying the 109
- Vdata name
 - assigning to a vdata 108
- Vdetach
 - description 142
 - parameter list 142
- Vend
 - description 142
 - parameter list 142
- Vertex set. See vset
- VF field information retrieval routine set 136
- Vffieldsize
 - description 136
 - parameter list 136
- Vffieldsize
 - description 136
 - parameter list 136
- Vffieldname
 - description 136
 - parameter list 136
- Vffieldorder
 - description 136
 - parameter list 136
- Vffieldtype
 - description 136
 - parameter list 136
- Vfindattr
 - description 156
 - parameter list 156
- Vfnfields
 - description 136
 - parameter list 136
- Vgetattr
 - description 155
 - parameter list 155
- Vgetclass
 - description 151
 - parameter list 152, 159
- Vgetid
 - description 151
 - parameter list 152
- Vgetname
 - description 151
 - parameter list 152, 159
- Vgetnext
 - description 162
 - parameter list 162
- Vgettagref
 - description 158
- Vgettagrefs
 - description 158
- Vgetversion
 - description 154
 - parameter list 155
- Vgroup 137–162
 - accessing a 141
 - assigning a class to a 143
 - assigning a name to a 143
 - attributes of a 154
 - command-line utilities for 161
 - containing two RIS8 objects and a vdata 138
 - conventions on content and structure 138
 - creating a 142
 - creating and writing to a 142–149
 - description 137
 - determining the name of a 162
 - inserting a HDF object into a 143
 - inserting a vdata or vgroup into a 144
 - locating a 151
 - locating a lone 151
 - means of uniquely identifying a 140
 - obtaining information about the contents of a 158–161
 - organization of 138
 - querying information on a specified , attribute 154
 - querying the number of , members 162
 - querying the total number of , attributes 155
 - querying the values of a given , attribute 155
 - querying the version of a given , 154
 - reading from a 151–154

- retrieving the index of a , attribute given the attribute name 156
- returning , member information 159
- returning the tag/reference number pairs of , contents 158
- setting the attribute of a 155
- sharing of vgroups and vdatas between more than one 138
- similarity to the Unix file system 137
- terminating access to 142
- Vgroup API 139–140
 - description 4
 - obsolete routines 162
 - routine categories 139
 - routine list 140
- Vgroup API programming model 141–142
- Vgroup class
 - description 138
 - determining a 151
- Vgroup identifier 140
 - determining the next 151, 162
- Vgroup name
 - description 137
 - determining a 151
- Vinqtagref
 - description 159
- Vinquire
 - description 162
 - parameter list 162
- Vinsert
 - description 144
 - parameter list 144
- Visvg
 - description 159
 - parameter list 159
- Visvs
 - description 159
 - parameter list 159
- Vlone
 - description 151
 - parameter list 152
- Vmake
 - description 161
- Vnattrs
 - description 155
- parameter list 155
- Vntagrefs
 - description 158
- VS vdata information retrieval routine set 135
- VSattach
 - creating vdatas with 108
- VSattrinfo
 - description 128
 - parameter list 128
- VSelts
 - description 135
 - parameter list 135
- Vset
 - describing a heated mesh 139
 - description 138
 - structure 139
- Vset node
 - description 139
- Vset tags
 - list of 350
- Vsetattr
 - description 155
 - parameter list 156
- Vsetclass
 - description 143
 - parameter list 144
- Vsetname
 - description 143
 - parameter list 144
- VSfdefine
 - description 108
 - parameter list 109
- VSfexist
 - description 123
 - parameter list 123
- VSfind
 - description 123
 - parameter list 123
- VSfindattr
 - description 127
 - parameter list 127
- VSfindex
 - description 125
 - parameter list 126
- VSfnattrs

- description 127
- parameter list 127
- VSgetattr
 - description 128
 - parameter list 128
- VSgetclass
 - description 135
 - parameter list 135
- VSgetfields
 - description 135
 - parameter list 135
- VSgetid
 - description 123
 - parameter list 123
- VSgetinterlace
 - description 135
 - parameter list 135
- VSgetname
 - description 135
 - parameter list 135
- Vshow
 - description 161
- vshow 341
- VSinquire
 - description 132
 - parameter list 132
- VSisattr
 - description 129
 - parameter list 129
- VSlone
 - description 122
 - parameter list 123
- VSnattrs
 - description 126
 - parameter list 126
- VSQuery vdata information retrieval routine set 134
- VSQuerycount
 - parameter list 134
- VSQueryfields
 - description 134
 - parameter list 134
- VSQueryinterlace
 - description 134
 - parameter list 134
- VSQueryname
 - description 134
 - parameter list 134
- VSQueryref
 - description 134
 - parameter list 135
- VSQuerytag
 - description 134
 - parameter list 135
- VSQueryvsize
 - description 134
 - parameter list 135
- VSread
 - description 119
 - parameter list 120
 - setting the file interlace mode using 109
- VSseek
 - description 119
 - misused to append data 110
 - parameter list 110, 112, 120
- VSsetattr
 - description 126
 - parameter list 126
- VSsetclass
 - description 108
 - parameter list 109
- VSsetfields
 - description 108, 119
 - parameter list 109, 120
- VSsetinterlace
 - description 109
 - parameter list 109
- VSsetname
 - description 108
 - parameter list 109
- VSsizeof
 - description 135
 - parameter list 135
- Vstart
 - description 141
 - parameter list 142
- VSwrite
 - description 111
 - parameter list 112
 - setting the file interlace mode using 109